INDEX TO AUTHORS

ALMEIDA, JUNE, CINADER, BERNHARD, and HOWATSON, ALLAN. The structure of antigen-antibody complexes. A study by electron microscopy, 327

ANDERSON, THOMAS F. See WILCOX, GINSBERG, and ANDERSON, 307

ARAUJO, PAULO, and KRAUSE, RICHARD M. Group-specific carbohydrate of Group C-variant hemolytic streptococci, 1059

ARCHER, GORDON T., and HIRSCH, JAMES G. Isolation of granules from eosinophil leucocytes and study of their enzyme content, 277

— and —. Motion picture studies on degranulation of horse eosinophils during phagocytosis, 287

ARONSON, MOSHE. Bridge formation and cytoplasmic flow between phagocytic cells, 1083

ARQUILLA, EDWARD R., and FINN, JACK. Insulin antibody variations in rabbits and guinea pigs and multiple antigenic determinants on insulin, 55

ASOFSKY, RICHARD. See WILLIAMS, JR., ASOFSKY, and THORBECKE, 315

BARTELL, P. F., THIND, I. S., ORR, T., and BLAKEMORE, W. S. The *in vivo* interaction between staphylococcus bacteriophage and *Staphylococcus aureus*, 13

BATTISTO, JACK R., and CHASE, MERRILL W. Immunological unresponsiveness to sensitization with simple chemical compounds. A search for antibody-absorbing depots of allergen, 1021

BEARN, ALEXANDER G. See CLEVE, PRUNIER, and BEARN, 711

—. See PARKER, HAGSTROM, and BEARN, 975

BECKER, ELMER L. See SCHUR and BECKER, 891

BELLER, FRITZ K., DEBROVNER, CHARLES H., and DOUGLAS, GORDON WATKINS. Potentiation of the lethal effect of endotoxin by heterologous plasma, 245

BENACERRAF, BARUJ, OJEDA, ANTONIO, and MAURER, PAUL H. Studies on artificial antigens. II. The antigenicity in guinea pigs of arsanilic acid conjugates of copolymers of D- or L-α-amino acids, 945

—. See EDELMAN, BENACERRAF, and OVARY, 229

—. See KOURILSKY, BLOCH, BENACERRAF, and OVARY, 699

—. See LEVINE, OJEDA, and BENACERRAF, 953

BERNHEIMER, ALAN W. See HIRSCH, BERNHEIMER, and WEISSMANN, 223

—. See WEISSMANN, KEISER, and BERNHEIMER, 205

BERRY, L. JOE, and SMYTHE, DOROTHY S. Effects of bacterial endotoxins on metabolism. VI. The role of tryptophan pyrrolase in response of mice to endotoxin, 587

BILLIAU, ALFONS. See VAN DEN BOSCH and BILLIAU, 515

BILLINGHAM, R. E., SILVERS, WILLYS K., and WILSON, DARCY B. Further studies on adoptive transfer of sensitivity to skin homografts, 397

BIRO, C. E. See MÜLLER-EBERHARD and BIRO, 447
BLAESE, M. See MARTINEZ, SMITH, BLAESE, and GOOD, 743
BLAKEMORE, W. S. See BARTELL, THIND, ORR, and BLAKEMORE, 13
BLOCH, KURT J. See KOURILSKY, BLOCH, BENACERRAF, and OVARY, 699
BROOME, J. D. Evidence that the L-asparaginase of guinea pig serum is responsible for its antilymphoma effects. I. Properties of the L-asparaginase of guinea pig serum in relation to those of the antilymphoma substance, 99
—. II. Lymphoma 6C3HED cells cultured in a medium devoid of L-asparagine lose their susceptibility to the effects of guinea pig serum *in vivo*, 121

CHASE, MERRILL W. See BATTISTO and CHASE, 1021
CHESTERMAN, FREDERICK C. See EAST, PARROTT, CHESTERMAN, and POMERANCE, 1069
CHIN, DENNIS. See FONG, CHIN, and ELBERG, 371
—. See FONG, CHIN, and VICKREY, 727
CHRISTIAN, CHARLES L. Rheumtoid factor properties of hyperimmune rabbit sera, 827
CINADER, BERNHARD. See ALMEIDA, CINADER, and HOWATSON, 327
CLEVE, HARTWIG, PRUNIER, JOHN H., and BEARN, ALEXANDER G. Isolation and partial characterization of the two principal inherited group-specific components of human serum, 711
COCHRANE, CHARLES G. Studies on the localization of circulating antigen-antibody complexes and other macromolecules in vessels. I. Structural studies, 489
—. II. Pathogenetic and pharmacodynamic studies, 503
COHN, ZANVIL A., and WIENER, EDITH. The particulate hydrolases of macrophages. I. Comparative enzymology, isolation, and properties, 991
— and —. II. Biochemical and morphological response to particulate ingestion, 1009
COLE, ROGER M. See HAHN and COLE, 659

DAHL, LEWIS K., HEINE, MARTHA, and TASSINARI, LORRAINE. Effects of chronic excess salt ingestion. Role of genetic factors in both DOCA-salt and renal hypertension, 605
DALMASSO, AGUSTIN P., MARTINEZ, CARLOS, SJODIN, KENNETH, and GOOD, ROBERT A. Studies on the role of the thymus in immunobiology. Reconstitution of immunologic capacity in mice thymectomized at birth, 1089
DEBROVNER, CHARLES H. See BELLER, DEBROVNER, and DOUGLAS, 245
DOUGLAS, GORDON WATKINS. See BELLER, DEBROVNER, and DOUGLAS, 245

EAST, JUNE, PARROTT, DELPHINE M. V., CHESTERMAN, FREDERICK C., and POMERANCE, ARIELA. The appearance of a hepatotrophic virus in mice thymectomized at birth, 1069
EDELMAN, G. M., BENACERRAF, BARUJ, and OVARY, Z. Structure and specificity of guinea pig 7S antibodies, 229
—. See SCHWARTZ and EDELMAN, 41
EITZMAN, DONALD V. See ROBBINS, EITZMAN, and SMITH, 959
ELBERG, SANFORD S. See FONG, CHIN, and ELBERG, 371

FAHEY, JOHN L., and ROBINSON, ALAN G. Factors controlling

serum γ-globulin concentration, 845
FELDMAN, JOSEPH D. See NAJARIAN and FELDMAN, 341, 759
FERNANDO, NEIL V. P. See MOVAT, FERNANDO, URIUHARA, and WEISER, 557
FINN, JACK. See ARQUILLA and FINN, 55
FOGELMAN, JOHN A. See MOHOS, HENNIGAR, and FOGELMAN, 667
FONG, JACOB, CHIN, DENNIS, and ELBERG, SANFORD S. Studies of tubercle bacillus–histiocyte relationships. VI. Induction of cellular resistance by ribosomes and ribosomal RNA, 371
—, —, and VICKREY, HERTA M. Studies of tubercle bacillus–histiocyte relationships. VII. Homologous and heterologous transfer of cellular resistance, 727
FORD, ELIZABETH, and HUGGINS, CHARLES. Selective destruction in testis induced by 7,12-dimethylbenz[*a*]anthracene, 27
FUJII, GENSHICHIRO, and NELSON, ROBERT A., JR. The cross-reactivity and transfer of antibody in transplantation immunity, 1037

GARDNER, KENNETH D., JR. See MORRISON and GARDNER, JR., 479
GINSBERG, HAROLD S. See WILCOX and GINSBERG, 295
—. See WILCOX, GINSBERG, and ANDERSON, 307
GINSBURG, ISAAC, HARRIS, T. N., and GROSSOWICZ, NATHAN. Oxygen-stable hemolysins of Group A streptococci. I. The role of various agents in the production of the hemolysins, 905
— and —. Oxygen-stable hemolysins of Group A streptococci. II. Chromatographic and electrophoretic studies, 919
GOOD, ROBERT A. See DALMASSO, MARTINEZ, SJODIN, and GOOD, 1089
—. See MARTINEZ, SMITH, BLAESE, and GOOD, 743
GROSSOWICZ, NATHAN. See GINSBURG, HARRIS, and GROSSOWICZ, 905
GUINTO, R. S. See SHEPARD and GUINTO, 195

HAGSTROM, JACK W. C. See PARKER, HAGSTROM, and BEARN, 975
HAHN, JEROME J., and COLE, ROGER M. Streptococcal M antigen location and synthesis, studied by immunofluorescence, 659
HALASZ, NICHOLAS A., and ORLOFF, MARSHALL J. Transplacental transmission of homotransplantation antibodies, 353
HARRIS, T. N. See GINSBURG and HARRIS, 919
—. See GINSBURG, HARRIS, and GROSSOWICZ, 905
HEINE, MARTHA. See DAHL, HEINE, and TASSINARI, 605
HENNIGAR, GORDON R. See MOHOS, HENNIGAR, and FOGELMAN, 667
HIRSCH, JAMES G., BERNHEIMER, ALAN W., and WEISSMANN, GERALD. Motion picture study of the toxic action of streptolysins on leucocytes, 223
—. See ARCHER and HIRSCH, 277, 287
HOCHSTRASSER, HARRY. See SKEGGS, JR., LENTZ, HOCHSTRASSER, and KAHN, 73
HOLMES, JOHN E., and MILLER, NEAL E. Effects of bacterial endotoxin on water intake, food intake, and body temperature in the albino rat, 649
HOWATSON, ALLAN. See ALMEIDA, CINADER, and HOWATSON, 327
HUGGINS, CHARLES. See FORD and HUGGINS, 27

KABAT, ELVIN A. See MARCUS, KABAT, and ROSENFIELD, 175
KAHN, JOSEPH R. See SKEGGS, JR., LENTZ, HOCHSTRASSER, and KAHN, 73
KEISER, HAROLD. See WEISSMANN, KEISER, and BERNHEIMER, 205
KILBOURNE, EDWIN D. See SCHULMAN and KILBOURNE, 257, 267
KIM, YOON BERM. See WATSON and KIM, 425
KORNGOLD, LEONHARD. See MELLORS and KORNGOLD, 387
KOURILSKY, F. M., BLOCH, KURT J., BENACERRAF, BARUJ, and OVARY, Z. Properties of guinea pig 7S antibodies. V. Inhibition by guinea pig γ_1 antibodies of passive immune lysis provoked by γ_2 antibodies, 699
KRAUSE, RICHARD M. See ARAUJO and KRAUSE, 1059
KUNIN, CALVIN M. Separation, characterization, and biological significance of a common antigen in Enterobacteriaceae, 565
KUNKEL, HENRY G. See MANNIK and KUNKEL, 817

LASNITZKI, ILSE. The effect of excess vitamin A on the embryonic rat esophagus in culture, 1
LENTZ, KENNETH E. See SKEGGS, JR., LENTZ, HOCHSTRASSER, and KAHN, 73
LEPOW, IRWIN H. See RATNOFF and LEPOW, 681
LEVINE, BERNARD, OJEDA, ANTONIO, and BENACERRAF, BARUJ. Studies on artificial antigens. III. The genetic control of the immune response to hapten–poly-L-lysine conjugates in guinea pigs, 953
LINSCOTT, WILLIAM D., and NISHIOKA, KUSUYA. Components of guinea pig complement. II. Separation of serum fractions essential for immune hemolysis, 795
LINSCOTT, WILLIAM D. See NISHIOKA and LINSCOTT, 767

MACNAMARA, LESTER G. See SHOPE, MACNAMARA, and METTLER, 421
MANNIK, MART, and KUNKEL, HENRY G. Localization of antibodies in group I and group II γ-globulins, 817
MARCUS, DONALD M., KABAT, ELVIN A., and ROSENFIELD, RICHARD E. The action of enzymes from *Clostridium tertium* on the I antigenic determinant of human erythrocytes, 175
MARTINEZ, CARLOS, SMITH, J. M., BLAESE, M., and GOOD, ROBERT A. Production of immunological tolerance in mice after repeated injections of disrupted spleen cells, 743
—. See DALMASSO, MARTINEZ, SJODIN, and GOOD, 1089
MAURER, PAUL H. See BENACERRAF, OJEDA, and MAURER, 945
MCCLUSKEY, ROBERT T. See VASSALLI, MORRIS, and MCCLUSKEY, 467
MELLORS, ROBERT C., and KORNGOLD, LEONHARD. The cellular origin of human immunoglobulins, γ_2, γ_{1M}, γ_{1A}, 387
METTLER, NORMA E. See SHOPE, MACNAMARA, and METTLER, 421
MICHAEL, J. GABRIEL, and ROSEN, FRED S. Association of natural antibodies to Gram-negative bacteria with the γ_1-macroglobulins, 619
MIESCHER, PETER A. See SPIEGELBERG and MIESCHER, 869
MILLER, NEAL E. See HOLMES and MILLER, 649
MOHOS, STEVEN C., HENNIGAR, GORDON R., and FOGELMAN, JOHN A. Insulin-induced glomerulosclerosis in the rabbit, 667

MORRIS, ROBERT H. See VASSALLI, MORRIS, and MCCLUSKEY, 467
MORRISON, ASHTON B., and GARDNER, KENNETH D., JR. The effect of potassium deficiency on the reabsorption of protein in the renal tubule of the rat, 479
MOVAT, HENRY Z., FERNANDO, NEIL V. P., URIUHARA, TSUNEO, and WEISER, WILLIAM J. Allergic inflammation. III. The fine structure of collagen fibrils at sites of antigen-antibody interaction in Arthus-type lesions, 557
MÜLLER-EBERHARD, H. J., and BIRO, C. E. Isolation and description of the fourth component of human complement, 447

NAJARIAN, JOHN S., and FELDMAN, JOSEPH D. Passive transfer of transplantation immunity. IV. Transplantation antibody from extracts of sensitized lymphoid cells, 759
— and —. Specificity of passively transferred delayed hypersensitivity, 341
NELSON, ROBERT A., JR. See FUJII and NELSON, JR., 1037
NISHIOKA, KUSUYA, and LINSCOTT, WILLIAM D. Components of guinea pig complement. I. Separation of a serum fraction essential for immune hemolysis and immune adherence, 767
—. See LINSCOTT and NISHIOKA, 795
NOTKINS, ABNER LOUIS, and SCHEELE, CHRISTINA. Studies on the transmission and the excretion of the lactic dehydrogenase agent, 7

OJEDA, ANTONIO. See BENACERRAF, OJEDA, and MAURER, 945
—. See LEVINE, OJEDA, and BENACERRAF, 953
ORLOFF, MARSHALL J. See HALASZ and ORLOFF, 353
ORR, T. See BARTELL, THIND, ORR, and BLAKEMORE, 13
OUDIN, JACQUES. See RIEDER and OUDIN, 627
OVARY, Z. See EDELMAN, BENACERRAF, and OVARY, 229
—. See KOURILSKY, BLOCH, BENACERRAF, and OVARY, 699

PAPLANUS, SAMUEL H., and SHELDON, WALTER H. Acute inflammation and tissue mast cells in adrenalectomized rats with cutaneous mucormycosis, 165
PARKER, W. CAREY, HAGSTROM, JACK W. C., and BEARN, ALEXANDER G. Additional studies on the transferrins of cord serum and cerebrospinal fluid. Variation in carbohydrate prosthetic groups, 975
PARROTT, DELPHINE M. V. See EAST, PARROTT, CHESTERMAN, and POMERANCE, 1069
POMERANCE, ARIELA. See EAST, PARROTT, CHESTERMAN, and POMERANCE, 1069
PRUNIER, JOHN H. See CLEVE, PRUNIER, and BEARN, 711

RATNOFF, OSCAR D., and LEPOW, IRWIN H. Complement as a mediator of inflammation. Enhancement of vascular permeability by purified human C′1 esterase, 681
RIEDER, RONALD F., and OUDIN, JACQUES. Studies on the relationship of allotypic specificities to antibody specificities in the rabbit, 627
ROBBINS, JOHN, EITZMAN, DONALD V., and SMITH, RICHARD T. The catabolism of protein antigens in the newborn and maturing rabbit, 959
ROBINSON, ALAN G. See FAHEY and ROBINSON, 845

ROBINSON, ARTHUR. The assay of galactokinase and galactose-1-phosphate uridyl transferase activity in human erythrocytes. A presumed test for heterozygous carriers of the galactosemic defect, 359
ROSEN, FRED S. See MICHAEL and ROSEN, 619
ROSENFIELD, RICHARD E. See MARCUS, KABAT, and ROSENFIELD, 175
ROSOFF, CHESTER B. The role of intestinal bacteria in the recovery from whole body radiation, 935

SCHEELE, CHRISTINA. See NOTKINS and SCHEELE, 7
SCHULMAN, JEROME L., and KILBOURNE, EDWIN D. Experimental transmission of influenza virus infection in mice. I. The period of transmissibility, 257
— and —. II. Some factors affecting the incidence of transmitted infection, 267
SCHUR, PETER H., and BECKER, ELMER L. Pepsin digestion of rabbit and sheep antibodies. The effect on complement fixation, 891
SCHWARTZ, J. H., and EDELMAN, G. M. Comparisons of Bence Jones proteins and L polypeptide chains of myeloma globulins after hydrolysis with trypsin, 41
SHELDON, WALTER H. See PAPLANUS and SHELDON, 165
SHEPARD, CHARLES C., and GUINTO, R. S. Immunological identification of foot-pad isolates as *Mycobacterium leprae* by lepromin reactivity in leprosy patients, 195
SHOPE, RICHARD E., MACNAMARA, LESTER G., and METTLER, NORMA E. The attenuation of the virus of epizootic hemorrhagic disease of deer by its serial passage in the brains of newborn mice, 421
SILVERS, WILLYS K. See BILLINGHAM, SILVERS, and WILSON, 397
SIMON, HAROLD J. Epidemiology and pathogenesis of staphylococcal infection. I. An experimentally induced attenuated staphylococcal infection in guinea pigs and its modification by tetracycline, 149
SJODIN, KENNETH. See DALMASSO, MARTINEZ, SJODIN, and GOOD, 1089
SKEGGS, LEONARD T., JR., LENTZ, KENNETH E., HOCHSTRASSER, HARRY, and KAHN, JOSEPH R. The purification and partial characterization of several forms of hog renin substrate, 73
SMITH, J. M. See MARTINEZ, SMITH, BLAESE, and GOOD, 743
SMITH, RICHARD T. See ROBBINS, EITZMAN, and SMITH, 959
SMYTHE, DOROTHY S. See BERRY and SMYTHE, 587
SPIEGELBERG, HANS L., and MIESCHER, PETER A. The effect of 6-mercaptopurine and aminopterin on experimental immune thyroiditis in guinea pigs, 869
STASTNY, PETER, STEMBRIDGE, VERNIE A., and ZIFF, MORRIS. Homologous disease in the adult rat, a model for autoimmune disease. I. General features and cutaneous lesions, 635
STEMBRIDGE, VERNIE A. See STASTNY, STEMBRIDGE, and ZIFF, 635

TASSINARI, LORRAINE. See DAHL, HEINE, and TASSINARI, 605
THIND, I. S. See BARTELL, THIND, ORR, and BLAKEMORE, 13
THORBECKE, G. JEANETTE. See WILLIAMS, JR., ASOFSKY, and THORBECKE, 315

URIUHARA, TSUNEO. See MOVAT, FERNANDO, URIUHARA, and WEISER, 557

VAN DEN BOSCH, JOZEF, and BILLIAU, ALFONS. Convulsive syn-

drome in rabbits injected with fat emulsion and heparin, 515
VASSALLI, PIERRE, MORRIS, ROBERT H., and MCCLUSKEY, ROBERT T. The pathogenic role of fibrin deposition in the glomerular lesions of toxemia of pregnancy, 467
VICKREY, HERTA M. See FONG, CHIN, and VICKREY, 727

WATSON, DENNIS W., and KIM, YOON BERM. Modification of host responses to bacterial endotoxins. I. Specificity of pyrogenic tolerance and the role of hypersensitivity in pyrogenicity, lethality, and skin reactivity, 425
WEISER, WILLIAM J. See MOVAT, FERNANDO, URIUHARA, and WEISER, 557
WEISSMANN, GERALD, KEISER, HAROLD, and BERNHEIMER, ALAN W. Studies on lysosomes. III. The effects of streptolysins O and S on the release of acid hydrolases from a granular fraction of rabbit liver, 205
—. See HIRSCH, BERNHEIMER, and WEISSMANN, 223
WIENER, EDITH. See COHN and WIENER, 991, 1009
WILCOX, WESLEY C., and GINSBERG, HAROLD S. Structure of type 5 adenovirus. I. Antigenic relationship of virus-structural proteins to virus-specific soluble antigens from infected cells, 295
—, —, and ANDERSON, THOMAS F. Structure of type 5 adenovirus. II. Fine structure of virus subunits. Morphologic relationship of structural subunits to virus-specific soluble antigens from infected cells, 307
WILEY, GROVE G. See WILSON and WILEY, 527
WILLIAMS, CURTIS A., JR., ASOFSKY, RICHARD, and THORBECKE, G. JEANETTE. Plasma protein formation *in vitro* by tissues from mice infected with staphylococci, 315
WILSON, ARMINE T., and WILEY, GROVE G. The cellular antigens of Group A streptococci. Immunoelectrophoretic studies of the C, M, T, PGP, E_4, F, and E antigens of serotype 17 streptococci, 527
WILSON, DARCY B. See BILLINGHAM, SILVERS, and WILSON, 397

ZIFF, MORRIS. See STASTNY, STEMBRIDGE, and ZIFF, 635

INDEX TO SUBJECTS

ABSORPTION, antibody, allergen depots, search for, immunological unresponsiveness to sensitization with simple chemical compounds, 1021

Acetate-salt, deoxycorticosterone, and renal hypertension, role of genetic factors, effects of chronic excess salt ingestion, 605

Acid, arsanilic, conjugates of copolymers of D- or L-α-amino acids, antigenicity, 945

—hydrolases, effects of streptolysins O and S on release from granular fraction of liver, studies on lysosomes, 205

—, ribonucleic, ribosomal, and ribosomes, induction of cellular resistance by, 371

Adenovirus, type 5, fine structure of virus subunits, morphologic relationship to virus-specific soluble antigens from infected cells, 307

—, type 5, structure, antigenic relationship of virus-structural proteins to virus-specific soluble antigens from infected cells, 295

Adherence, immune, and immune hemolysis, separation of serum fraction essential for, components of, guinea pig complement, 767

Adrenalectomized rats with cutaneous mucormycosis, acute inflammation and tissue mast cells in, 165

Allergen, search for antibody-absorbing depots of, immunological unresponsiveness to sensitization with simple chemical compounds, 1021

Allergic inflammation, fine structure of collagen fibrils at sites of antigen-antibody interaction in Arthus-type lesions, 557

Amino acids, D- or L-α-, arsanilic acid conjugates of copolymers antigenicity, 945

Aminopterin and 6-mercaptopurine, effect on immune thyroiditis, 869

Anthracene, benz[*a*]-, 7,12-dimethyl-, selective destruction in testis induced by, 27

Antibodies, 7S, guinea pig, structure and specificity, 229

—, homotransplantation, transplacental transmission, 353

— in group I and group II γ-globulins, localization, 817

—, 7S, inhibition by guinea pig γ_1 antibodies of passive immune lysis provoked by γ_2 antibodies, 699

—, natural, association to Gram-negative bacteria with γ_1-macroglobulins, 619

—, pepsin digestion, effect on complement fixation, 891

Antibody in transplantation immunity, cross-reactivity and transfer, 1037

— specificities, relation of allotypic specificities to, 627

— transplantation from extracts of sensitized lymphoid cells, passive transfer of transplantation immunity, 759

— variations, insulin, and multiple antigenic determinants on insulin, 55

Antibody-absorbing allergen depots, search for, immunological unre-

sponsiveness to sensitization with simple chemical compounds, 1021
Antibody-antigen complexes, circulating, and other macromolecules in vessels, localization, pathogenetic and pharmacodynamic studies, 503
— complexes, circulating, and other macromolecules in vessels, localization, structural studies, 489
— complexes, structure, electron microscopy, 327
— interaction in Arthus-type lesions, fine structure of collagen fibrils at sites of, 557
Antigen, common, in Enterobacteriaceae, separation, characterization, and biological significance, 565
—, M, streptococcal, location and synthesis, studied by immunofluorescence, 659
Antigen-antibody complexes, circulating, and other macromolecules in vessels, localization, pathogenetic and pharmacodynamic studies, 503
— complexes, circulating, and other macromolecules in vessels, localization, structural studies, 489
— complexes, structure, electron microscopy, 327
— interaction in Arthus-type lesions, fine structure of collagen fibrils at sites of, 557
Antigenic determinant, I, of human erythrocytes, enzymes from *Clostridium tertium*, action on, 175
— determinants, multiple, on insulin, and insulin antibody variations, 55
— relationship of virus-structural proteins to virus-specific soluble antigens from infected cells, 295
Antigenicity of arsanilic acid conjugates of copolymers of D- or L-α-amino acids, 945
Antigens, artificial, antigenicity of arsanilic acid conjugates of copolymers of D- or L-α-amino acids, 945
—, artificial, genetic control of immune response to hapten–poly-L-lysine conjugates, 953
—, cellular, Group A streptococci, immunoelectrophoretic studies of C, M, T, PGP, E_4, F, and E antigens of serotype 17 streptococci, 527
—, protein, catabolism, 959
—, virus-specific soluble, from cells infected with type 5 adenovirus, morphologic relationship of structural subunits, 307
—, virus-specific soluble, from infected cells, antigenic relationship of virus-structural proteins to, 295
Antilymphoma effects, L-asparaginase of guinea pig serum responsible for, 121
— substance, properties of L-asparaginase of guinea pig serum in relation to those of, 99
Arsanilic acid conjugates of copolymers of D- or L-α-amino acids, antigenicity, 945
Arthus-type lesions, fine structure of collagen fibrils at sites of antigen-antibody interaction in, 557
L-Asparaginase of guinea pig serum, properties in relation to those of antilymphoma substance, 99
— of guinea pig serum, responsible for antilymphoma effects, 121
L-Asparagine, lymphoma 6C3HED cells cultured in medium devoid of, lose susceptibility to effects of guinea pig serum *in vivo*, 121
Autoimmune disease model, homologous disease, general features and cutaneous lesions, 635

BACILLUS, tubercle, and histiocyte relationships, homologous and heterologous transfer of cellular resistance, 727

Bacillus, tubercle, and histiocyte relationships, induction of cellular resistance by ribosomes and ribosomal RNA, 371
Bacteria, Gram-negative, with γ_1-macroglobulins, association of natural antibodies to, 619
—, intestinal, role in recovery from whole body radiation, 935
Bacterial endotoxin effects on water and food intake, and body temperature, 649
—, endotoxins, effects on metabolism, role of tryptophan pyrrolase in response of mice to endotoxin, 587
— endotoxins, modification of host responses, specificity of pyrogenic tolerance and role of hypersensitivity in pyrogenicity, lethality, and skin reactivity, 425
Bacteriophage, staphylococcus, and *Staphylococcus aureus*, *in vivo* interaction, 13
Bence Jones proteins and L polypeptide chains of myeloma globulins after hydrolysis with trypsin, comparisons, 41
Benz[*a*]anthracene, 7,12-dimethyl-, selective destruction in testis induced by, 27
Biochemical and morphological response to particle ingestion, particulate hydrolases of macrophages, 1009
Biological significance, separation, and characterization of common antigen in Enterobacteriaceae, 565
Biology, immuno-, role of thymus in, reconstitution of immunologic capacity in mice thymectomized at birth, 1089
Brains of newborn mice, attenuation of virus of epizootic hemorrhagic disease of deer by serial passage in, 421

CARBOHYDRATE, group-specific, of Group C-variant hemolytic streptococci, 1059
Carbohydrate, prosthetic groups, variation in, transferrins of cord serum and cerebrospinal fluid, 975
Carriers, heterozygous, of galactosemic defect, presumed test for, galactokinase and galactose-1-phosphate uridyl transferase activity in human erythrocytes, 359
Catabolism, protein antigens, 959
Cells, disrupted spleen, repeated injections, production of immunological tolerance after, 743
—, infected, antigenic relationship of virus-structural proteins to virus-specific soluble antigens from, 295
—, infected, type 5 adenovirus, morphologic relationship of structural subunits to virus-specific soluble antigens from, 307
—, lymphoma 6C3HED, cultured in medium devoid of L-asparagine lose susceptibility to effects of guinea pig serum *in vivo*, 121
—, phagocytic, bridge formation and cytoplasmic flow between, 1083
—, sensitized lymphoid, extracts, transplantation antibody from, passive transfer of transplantation immunity, 759
—, tissue mast, and acute inflammation in adrenalectomized rats with cutaneous mucormycosis, 165
Cellular antigens, Group A streptococci, immunoelectrophoretic studies of C, M, T, PGP, E_4, F, and E antigens of serotype 17 streptococci, 527
— origin of human immunoglobulins, γ_2, γ_{1M}, γ_{1A}, 387
— resistance by ribosomes and ribosomal RNA, tubercle bacillus–histiocyte relationships, 371
— resistance, homologous and heterologous transfer, tubercle bacillus–histiocyte relationships, 727
Cerebrospinal fluid and cord serum, transferrins of, variation in carbohydrate prosthetic groups, 975

Chains, L polypeptide, of myeloma globulins and Bence Jones proteins after hydrolysis with trypsin, comparisons, 41
Chemical compounds, simple, immunological unresponsiveness to sensitization with, search for antibody-absorbing allergen depots, 1021
Chromatographic and electrophoretic studies on oxygen-stable hemolysins of Group A streptococci, 919
Cinemicrophotographic studies, degranulation of horse eosinophils during phagocytosis, 287
— study, toxic action of streptolysins on leucocytes, 223
Circulating antigen-antibody complexes and other macromolecules in vessels, localization, pathogenetic and pharmacodynamic studies, 503
— antigen-antibody complexes and other macromolecules in vessels, localization, structural studies, 489
Clostridium tertium, enzymes, action on I antigenic determinant of human erythrocytes, 175
Collagen fibrils at sites of antigen-antibody interaction in Arthus-type lesions, fine structure, 557
Complement fixation, pepsin digestion of antibodies, effect on, 891
—, guinea pig, components, separation of serum fraction essential for immune hemolysis and immune adherence, 767
—, guinea pig, components, separation of serum fractions essential for immune hemolysis, 795
—, human, fourth component, isolation and description, 447
—, mediator of inflammation, vascular permeability enhanced by purified human C'1 esterase, 681
Copolymers of D- or L-α-amino acids, arsanilic acid conjugates, antigenicity, 945
Cord serum and cerebrospinal fluid, transferrins of, variation in carbohydrate prosthetic groups, 975
Corticosterone, deoxy-, acetate–salt, and renal hypertension, role of genetic factors, effects of chronic excess salt ingestion, 605
Cultivation, lymphoma 6C3HED cells in medium devoid of L-asparagine lose susceptibility to effects of guinea pig serum *in vivo*, 121
Culture, effect of excess vitamin A on embryonic rat esophagus in, 1
Cytoplasmic flow and bridge formation between phagocytic cells, 1083

DEER, epizootic hemorrhagic disease of, attenuation of virus by serial passage in brains of newborn mice, 421
Deficiency, potassium, effect on reabsorption of protein in renal tubule, 479
Degranulation of horse eosinophils during phagocytosis, motion picture studies, 287
Dehydrogenase agent, lactic, transmission and excretion, 7
Deoxycorticosterone acetate–salt and renal hypertension, role of genetic factors, effects of chronic excess salt ingestion, 605
Digestion, pepsin, of antibodies, effect on complement fixation, 891
7,12-Dimethylbenz[*a*]anthracene, selective destruction in testis induced by, 27
Disease, epizootic hemorrhagic, of deer, attenuation of virus by serial passage in brains of newborn mice, 421
—, homologous, autoimmune disease model, general features and cutaneous lesions, 635

ELECTRON microscopy, structure of antigen-antibody complexes, 327
Electrophoretic and chromatographic

studies on oxygen-stable hemolysins of Group A streptococci, 919
Electrophorectic, immuno-, studies of C, M, T, PGP, E_4, F, and E antigens of serotype 17 streptococci, 527
Embryonic rat esophagus in culture, effect of excess vitamin A, 1
Emulsion, fat, and heparin, convulsive syndrome in rabbits injected with, 515
Endotoxin, bacterial, effects on water and food intake, and body temperature, 649
—, lethal effect, potentiation by heterologous plasma, 245
Endotoxins, bacterial, effects on metabolism, role of tryptophan pyrrolase in response of mice to endotoxin, 587
—, bacterial, modification of host responses, specificity of pyrogenic tolerance and role of hypersensitivity in pyrogenicity, lethality, and skin reactivity, 425
Enterobacteriaceae, common antigen in, separation, characterization, and biological significance, 565
Enzyme content and isolation of granules from eosinophil leucocytes, 277
Enzymes, from *Clostridium tertium*, action on I antigenic determinant of human erythrocytes, 175
Enzymology, isolation, and properties, comparative, of particulate hydrolases of macrophages, 991
Eosinophil leucocytes, granules isolated from, enzyme content of, 277
Eosinophils, horse, degranulation during phagocytosis, motion picture studies, 287
Epidemiology and pathogenesis of attenuated staphylococcal infection, modification by tetracycline, 149
Epizootic hemorrhagic disease of deer, attenuation of virus by serial passage in brains of newborn mice, 421
Erythrocytes, human, action of enzymes from *Clostridium tertium* on I antigenic determinant of, 175
—, human, galactokinase and galactose-1-phosphate uridyl transferase activity in, presumed test for heterozygous carriers of galactosemic defect, 359
Esophagus, embryonic rat, in culture, effect of excess vitamin A, 1
Esterase, C′1, purified human, vascular permeability enhanced by, complement as mediator of inflammation, 681
Excretion and transmission of lactic dehydrogenase agent, 7
Extracts of sensitized lymphoid cells, transplantation antibody from, passive transfer of transplantation immunity, 759

FAT emulsion and heparin, convulsive syndrome in rabbits injected with, 515
Fibrils, collagen, fine structure of, at sites of antigen-antibody interaction in Arthus-type lesions, 557
Fibrin deposition in glomerular lesions of toxemia of pregnancy, pathogenic role, 467
Flow, cytoplasmic, and bridge formation between phagocytic cells, 1083
Fluid, cerebrospinal, and cord serum, transferrins of, variation in carbohydrate prosthetic groups, 975
Fluorescence, immuno-, streptococcal M antigen location and synthesis studied by, 659
Food and water intake and body temperature, effects of bacterial endotoxin, 649

GALACTOKINASE and galactose-1-phosphate uridyl transferase activity in human erythrocytes, presumed test for heterozygous

carriers of galactosemic defect, 359
Galactose-1-phosphate uridyl transferase and galactokinase activity in human erythrocytes, presumed test for heterozygous carriers of galactosemic defect, 359
Galactosemic defect, presumed test for heterozygous carriers of, glactokinase and galactose-1-phosphate uridyl transferase activity in human erythrocytes, 359
Genetic control of immune response to hapten–poly-L-lysine conjugates, 953
— factors, role in both DOCA–salt and renal hypertension, effects of chronic excess salt ingestion, 605
Globulin, γ-, serum, concentration, factors controlling, 845
Globulins, γ-, group I and group II, antibodies, localization, 817
—, immuno-, human, γ_2, γ_{1M}, γ_{1A}, cellular origin, 387
—, myeloma, L polypeptide chains, and Bence Jones proteins after hydrolysis with trypsin, comparisons, 41
Glomerular lesions of toxemia of pregnancy, pathogenic role of fibrin deposition, 467
Glomerulosclerosis, insulin-induced, 667
Gram-negative bacteria with γ_1-macroglobulins, association of natural antibodies to, 619
Granular fraction of liver, effects of streptolysins O and S on release of acid hydrolases from, studies on lysomes, 205
Granules from eosinophil leucocytes, isolation and study of enzyme content, 277

HAPTEN–poly-L-lysine conjugates, genetic control of immune response to, 953
Hemolysins, oxygen-stable, Group A streptococci, chromatographic and electrophoretic studies, 919
Hemolysins, oxygen-stable, Group A streptococci, role of various agents in production, 905
Hemolysis, immune, and immune adherence, separation of serum fraction essential for, components of guinea pig complement, 767
—, immune, separation of serum fractions essential for, components of guinea pig complement, 795
Hemolytic streptococci, Group C-variant, group-specific carbohydrate, 1059
Hemorrhagic disease of deer, epizootic, attenuation of virus by serial passage in brains of newborn mice, 421
Heparin and fat emulsion, convulsive syndrome in rabbits injected with, 515
Hepatotrophic virus in mice thymectomized at birth, appearance of, 1069
Hereditary group-specific components of human serum, two principal, isolation and partial characterization, 711
Heterologous and homologous transfer of cellular resistance, tubercle bacillus–histiocyte relationships, 727
— plasma, potentiation of lethal effect of endotoxin by, 245
Heterozygous carriers of galactosemic defect, presumed test for, galactokinase and galactose-1-phosphate uridyl transferase activity in human erythrocytes, 359
Histiocyte and tubercle bacillus relationships, homologous and heterologous transfer of cellular resistance, 727
— and tubercle bacillus relationships, induction of cellular resistance by ribosomes and ribosomal RNA, 371
Homografts, skin, adoptive transfer of sensitivity to, 397

Homologous disease, autoimmune disease model, general features and cutaneous lesions, 635
— and heterologous transfer of cellular resistance, tubercle bacillus–histiocyte relationships, 727
Homotransplantation antibodies, transplacental transmission, 353
Host responses to bacterial endotoxins, modification, specificity of pyrogenic tolerance and role of hypersensitivity in pyrogenicity, lethality, and skin reactivity, 425
Hydrolases, acid, effects of streptolysins O and S on release from granular fraction of liver, studies on lysosomes, 205
—, particulate, of macrophages, biochemical and morphological response to particle ingestion, 1009
—, particulate, of macrophages, comparative enzymology, isolation, and properties, 991
Hydrolysis with trypsin, comparisons of Bence Jones proteins and L polypeptide chains of myeloma globulins after, 41
Hyperimmune rabbit sera, rheumatoid factor properties, 827
Hypersensitivity, passively transferred delayed, specificity, 341
—, role in pyrogenicity, lethality, and skin reactivity, 425
Hypertension, renal, and DOCA–salt, role of genetic factors, effects of chronic excess salt ingestion, 605

IMMUNE hemolysis and immune adherence, separation of serum fraction essential for, components of guinea pig complement, 767
— hemolysis, separation of serum fractions essential for, components of guinea pig complement, 795
Immune lysis, passive, provoked by γ_2 antibodies, inhibition by guinea pig γ_1 antibodies of, 699
— response to hapten–poly-L-lysine conjugates, genetic control, 953
— thyroiditis, effect of 6-mercaptopurine and aminopterin on, 869
Immunity, transplantation, cross-reactivity and transfer of antibody in, 1037
—, transplantation, passive transfer, transplantation antibody from extracts of sensitized lymphoid cells, 759
Immunobiology, role of thymus in, reconstitution of immunologic capacity in mice thymectomized at birth, 1089
Immunoelectrophoretic studies of C, M, T, PGP, E_4, F, and E antigens of serotype 17 streptococci, 527
Immunofluorescence, streptococcal M antigen location and synthesis studied by, 659
Immunoglobulins, human, γ_2, γ_{1M}, γ_{1A}, cellular origin, 387
Immunologic capacity in mice thymectomized at birth, reconstitution, role of thymus in immunobiology, 1089
Immunological identification of footpad isolates as *Mycobacterium leprae* by lepromin reactivity in leprosy patients, 195
— tolerance, production after repeated injections of disrupted spleen cells, 743
—, unresponsiveness to sensitization with simple chemical compounds, search for antibody-absorbing allergen depots, 1021
Infected cells, antigenic relationship of virus-structural proteins to virus-specific soluble antigens from, 295
— cells, type 5 adenovirus, morphologic relationship of structural sub-

units to virus-specific soluble antigens from, 307
Infection, influenza virus, period of transmissibility, 257
—, influenza virus, transmitted factors affecting incidence, 267
—, staphylococcal, attenuated, epidemiology and pathogenesis, modification by tetracycline, 149
— with staphylococci, plasma protein formation *in vitro* by tissues, 315
Inflammation, acute, and tissue mast cells in adrenalectomized rats with cutaneous mucormycosis, 165
—, allergic, fine structure of collagen fibrils at sites of antigen-antibody interaction in Arthus-type lesions, 557
—, complement as mediator of, vascular permeability enhanced by purified human C′1 esterase, 681
Influenza virus, factors affecting incidence of transmitted infection, 267
— virus infection, period of transmissibility, 257
Ingestion, chronic excess salt, effects, role of genetic factors in both DOCA-salt and renal hypertension, 605
—, particle, biochemical and morphological response to, particulate hydrolases of macrophages, 1009
Inhibition by guinea pig γ_1 antibodies of passive immune lysis provoked by γ_2 antibodies, 699
Injected with fat emulsion and heparin, convulsive syndrome in rabbits, 515
Injections of disrupted spleen cells, repeated, production of immunological tolerance after, 743
Insulin antibody variations and multiple antigenic determinants on insulin, 55
Insulin-induced glomerulosclerosis, 667
Intestinal bacteria, role in recovery from whole body radiation, 935
Isolates, foot-pad, immunological identification as *Mycobacterium leprae* by lepromin reactivity in leprosy patients, 195

KIDNEY and DOCA–salt hypertension, role of genetic factors, effects of chronic excess salt ingestion, 605
— tubule, effect of potassium deficiency on reabsorption of protein, 479

LACTIC dehydrogenase agent, transmission and excretion, 7
Lepromin reactivity in leprosy patients, immunological identification of foot-pad isolates as *Mycobacterium leprae* by, 195
Leprosy patients, immunological identification of foot-pad isolates as *Mycobacterium leprae* by lepromin reactivity in, 195
Lesions, Arthus-type, fine structure of collagen fibrils at sites of antigen-antibody interaction in, 557
—, cutaneous, and general features of homologous disease, autoimmune disease model, 635
—, glomerular, to toxemia of pregnancy, pathogenic role of fibrin deposition, 467
Lethal effect of endotoxin, potentiation by heterologous plasma, 245
Lethality, pyrogenicity, and skin reactivity, specificity of pyrogenic tolerance and role of hypersensitivity in, 425
Leucocytes, eosinophil, granules isolated from, enzyme content of, 277
—, motion picture study of toxic action of streptolysins on, 223
Liver, granular fraction, effects of streptolysins O and S on release of

acid hydrolases from, studies on lysosomes, 205
Lymphoid cells, sensitized, extracts, transplantation antibody from, passive transfer of transplantation immunity, 759
Lymphoma 6C3HED cells cultured in medium devoid of L-asparagine lose susceptibility to effects of guinea pig serum *in vivo*, 121
— substance, anti-, properties of L-asparaginase of guinea pig serum in relation to those of, 99
Lysine, hapten–poly-L-, conjugates, genetic control of immune response to, 953
Lysis, immune, passive, provoked by γ_2 antibodies, inhibition by guinea pig γ_1 antibodies of, 699
Lysosomes, effects of streptolysins O and S on release of acid hydrolases from granular fraction of liver, 205

MACROGLOBULINS, γ_1-, association of natural antibodies to Gram-negative bacteria with, 619
Macromolecules in vessels and circulating antigen-antibody complexes, localization, pathogenetic and pharmacodynamic studies, 503
— in vessels and circulating antigen-antibody complexes, localization, structural studies, 489
Macrophages, particulate hydrolases, biochemical and morphological response to particle ingestion, 1009
—, particulate hydrolases, comparative enzymology, isolation, and properties, 991
Man, C'1 esterase, purified, vascular permeability enhanced by, complement as mediator of inflammation, 681
—, complement, fourth component, isolation and description, 447
—, erythrocytes, action of enzymes from *Clostridium tertium* on I antigenic determinant of, 175
Man, erythrocytes, galactokinase and galactose-1-phosphate uridyl transferase activity in, presumed test for heterozygous carriers of galactosemic defect, 359
—, immunoglobulins, γ_2, γ_{1M}, γ_{1A}, cellular origin, 387
—, serum, two principal inherited group-specific components, isolation and partial characterization, 711
Mast cells, tissue, and acute inflammation in adrenalectomized rats with cutaneous mucormycosis, 165
Medium devoid of L-asparagine, lymphoma 6C3HED cells cultured in, lose susceptibility to effects of guinea pig serum *in vivo*, 121
6-Mercaptopurine and aminopterin, effect on immune thyroiditis, 869
Metabolism, effects of bacterial endotoxins on, role of tryptophan pyrrolase in response of mice to endotoxin, 587
Microphotographic, cine-, studies, degranulation of horse eosinophils during phagocytosis, 287
—, cine-, study, toxic action of streptolysins on leucocytes, 223
Microscopy, electron, structure of antigen-antibody complexes, 327
Morphologic relationship of structural subunits of type 5 adenovirus to virus-specific soluble antigens from infected cells, 307
Morphological and biochemical response to particle ingestion, particulate hydrolases of macrophages, 1009
Mucormycosis, cutaneous, acute inflammation and tissue mast cells in adrenalectomized rats with, 165
Mycobacterium leprae, immunological identification of foot-pad isolates as,

by lepromin reactivity in leprosy patients, 195
Myeloma globulins, L polypeptide chains, and Bence Jones proteins after hydrolysis with trypsin, comparisons, 41

NEWBORN and maturing rabbit, catabolism of protein antigens in, 959
— mice, attenuation of virus of epizootic hemorrhagic disease of deer by serial passage in brains of, 421
Nucleic acid, ribo-, ribosomal, and ribosomes, induction of cellular resistance by, 371

OXYGEN-STABLE hemolysins, Group A streptococci, chromatographic and electrophoretic studies, 919
— hemolysins, Group A streptococci, role of various agents in production of hemolysins, 905

PATHOGENESIS and epidemiology of attenuated staphylococcal infection, modification by tetracycline, 149
Pathogenetic and pharmacodynamic studies on localization circulating antigen-antibody complexes and other macromolecules in vessels, 503
Pathogenic role of fibrin deposition in glomerular lesions of toxemia of pregnancy, 467
Pepsin digestion of antibodies, effect on complement fixation, 891
Permeability, vascular, enhanced by purified human C′1 esterase, complement as mediator of inflammation, 000
Phagocytic cells, bridge formation and cytoplasmic flow between, 1083
Phagocytosis, degranulation of horse eosinophils, motion picture studies during, 287
Pharmacodynamic and pathogenetic studies on localization of circulating antigen-antibody complexes and other macromolecules in vessels, 503
Phosphate, galactose-1-, uridyl transferase and galactokinase activity in human erythrocytes, presumed test for heterozygous carriers of galactosemic defect, 359
Photographic, cinemicro-, studies, degranulation of horse eosinophils during phagocytosis, 287
—, cinemicro-, study, toxic action of streptolysins on leucocytes, 223
Plasma, heterologous, potentiation of lethal effect of endotoxin by, 245
— protein formation *in vitro* by tissues infected with staphylococci, 315
Poly-L-lysine, hapten–, conjugates, genetic control of immune response to, 953
Polypeptide chains, L, of myeloma globulins and Bence Jones proteins after hydrolysis with trypsin, comparisons, 41
Potassium deficiency, effect on reabsorption of protein in renal tubule, 479
Pregnancy, pathogenic role of fibrin deposition in glomerular lesions of toxemia of, 467
Protein antigens, catabolism, 959
—, plasma, formation *in vitro* by tissues infected with staphylococci, 315
— reabsorption in renal tubule, effect of potassium deficiency, 479
Proteins, Bence Jones, and L polypeptide chains of myeloma globulins after hydrolysis with trypsin, comparisons, 41
—, virus-structural, antigenic relationship to virus-specific soluble antigens from infected cells, 295

Purification and partial characterization, several forms of hog renin substrate, 73
Purine, 6-mercapto-, and aminopterin, effect on immune thyroiditis, 869
Pyrogenicity, lethality, and skin reactivity, specificity of pyrogenic tolerance and role of hypersensitivity in, 425
Pyrrolase, tryptophan, role in response of mice to endotoxin, effects of bacterial endotoxins on metabolism, 587

RADIATION, whole body, role of intestinal bacteria in recovery from, 935
Reabsorption of protein in renal tubule, effect of potassium deficiency, 479
Reactivity, cross-, and transfer of antibody in transplantation immunity, 1037
—, lepromin, in leprosy patients, immunological identification of foot-pad isolates as *Mycobacterium leprae* by, 195
—, skin, pyrogenicity, and lethality, specificity of pyrogenic tolerance and role of hypersensitivity in, 425
Renal. *See* Kidney.
Renin substrate, hog, purification and partial characterization of several forms, 73
Resistance, cellular, homologous and heterologous transfer, tubercle bacillus–histiocyte relationships, 727
—, cellular, induction by ribosomes and ribosomal RNA, 371
Rheumatoid factor properties of hyperimmune rabbit sera, 827
Ribonucleic acid, ribosomal, and ribosomes, induction of cellular resistance by, 371
Ribosomal RNA and ribosomes, induction of cellular resistance by, 371
Ribosomes and ribosomal RNA, induction of cellular resistance by, 371

SALT ingestion, chronic excess, effects, role of genetic factors in both DOCA-salt and renal hypertension, 605
Sensitivity to skin homografts, adoptive transfer, 397
Sensitization, immunological unresponsiveness to, with simple chemical compounds, search for antibody-absorbing allergen depots, 1021
Sensitized lymphoid cells, transplantation antibody from extracts of, passive transfer of transplantation immunity, 759
Sera, hyperimmune rabbit, rheumatoid factor properties, 827
Serotype 17 streptococci, C, M, T, PGP, E_4, F, and E antigens of, immunoelectrophoretic studies, 527
Serum, cord, and cerebrospinal fluid, transferrins of, variation in carbohydrate prosthetic groups, 975
— fraction essential for immune hemolysis and immune adherence, separation, components of guinea pig complement, 767
— fractions essential for immune hemolysis, separation, components of guinea pig complement, 795
— γ-globulin concentration, factors controlling, 845
—, guinea pig, L-asparaginase, properties in relation to those of antilymphoma substance, 99
—, guinea pig, *in vivo*, lymphoma 6C3HED cells cultured in medium devoid of L-asparagine lose susceptibility to effects of, 121
—, human, two principal inherited group-specific components, isolation and partial characterization, 711

Skin homografts, adoptive transfer of sensitivity to, 397
—, lesions of, and general features of homologous disease, autoimmune disease model, 635
—mucormycosis of, acute inflammation and tissue mast cells in adrenalectomized rats with, 165
— reactivity, pyrogenicity, and lethality, specificity of pyrogenic tolerance and role of hypersensitivity in, 425
Soluble antigens from infected cells, virus-specific relationship of virus-structural proteins to, 295
— antigens, virus-specific, from cells infected with type 5 adenovirus, morphologic relationship of structural subunits, 307
Specific, group-, carbohydrate of Group C-variant hemolytic streptococci, 1059
—, group-, two principal inherited, components of human serum, isolation and partial characterization, 711
—, virus-, soluble antigens from cells infected with type 5 adenovirus, morphologic relationship of structural subunits, 307
—, virus-, soluble antigens from infected cells, antigenic relationship of virus-structural proteins to, 295
Specificities, antibody, relation of allotypic specificities to, 627
Specificity of passively transferred delayed hypersensitivity, 341
— of pyrogenic tolerance and role of hypersensitivity in pyrogenicity, lethality, and skin reactivity, 425
— and structure of guinea pig 7S antibodies, 229
Spleen cells, disrupted, repeated injections, production of immunological tolerance after, 743
Staphylococcal infection, attenuated, epidemiology and pathogenesis, modification by tetracycline, 149
Staphylococci, plasma protein formation *in vitro* by tissues infected with, 315
Staphylococcus aureus and staphylococcus bacteriophage, *in vivo* interaction, 13
— bacteriophage and *Staphylococcus aureus*, *in vivo* interaction, 13
Sterone, deoxycortico-, acetate–salt, and renal hypertension, role of genetic factors, effects of chronic excess salt ingestion, 605
Streptococcal M antigen location and synthesis, studied by immunofluorescence, 659
Streptococci, Group A, cellular antigens, C, M, T, PGP, E_4, F, and E antigens of serotype 17 streptococci, immunoelectrophoretic studies of, 527
—, Group A, oxygen-stable hemolysins, chromatographic and electrophoretic studies, 919
—, Group A, role of various agents in production of oxygen-stable hemolysins, 905
—, hemolytic, Group C-variant, group-specific carbohydrate, 1059
—, serotype 17, C, M, T, PGP, E_4, F, and E antigens of, immunoelectrophoretic studies, 527
Streptolysins O and S, effects on release of acid hydrolases from granular fraction of liver, 205
—, toxic action on leucocytes, motion picture study, 223
Susceptibility to effects of guinea pig serum *in vivo*, lymphoma 6C3HED cells cultured in medium devoid of L-asparagine lose, 121
Syndrome, convulsive, in rabbits injected with fat emulsion and heparin, 515
Synthesis and location, streptococcal M antigen, studied by immunofluorescence, 659

TEMPERATURE, body, water and food intake, effects of bacterial endotoxin, 649
Testis, selective destruction in, induced by 7,12-dimethylbenz[*a*]-anthracene, 27
Tetracycline, modification of attenuated staphylococcal infection by, 149
Thymectomized mice, at birth, appearance of hepatotrophic virus in, 1069
—, mice, at birth, reconstitution of immunologic capacity in, role of thymus in immunobiology, 1089
Thymus in immunobiology, role, reconstitution of immunologic capacity in mice thymectomized at birth, 1089
Thyroiditis, immune, effect of 6-mercaptopurine and aminopterin on, 869
Tissue mast cells and acute inflammation in adrenalectomized rats with cutaneous mucormycosis, 165
Tissues infected with staphylococci, plasma protein formation *in vitro*, 315
Tolerance, immunological, production after repeated injections of disrupted spleen cells, 743
—, pyrogenic, specificity, and role of hypersensitivity in pyrogenicity, lethality, and skin reactivity, 425
Toxemia of pregnancy, pathogenic role of fibrin deposition in glomerular lesions, 467
Toxic action of streptolysins on leucocytes, motion picture study, 223
Transfer, adoptive, of sensitivity to skin homografts, 397
— and cross-reactivity of antibody in transplantation immunity, 1037
—, homologous and heterologous, of cellular resistance, tubercle bacillus–histiocyte relationships, 727
Transfer of transplantation immunity, passive, transplantation antibody from extracts of sensitized lymphoid cells, 759
Transferase, galactose-1-phosphate uridyl, and galactokinase activity in human erythrocytes, presumed test for heterozygous carriers of galactosemic defect, 359
Transferrins of cord serum and cerebrospinal fluid, variation in carbohydrate prosthetic groups, 975
Transmission and excretion of lactic dehydrogenase agent, 7
— of influenza virus infection, transmitted factors affecting incidence, 267
— period, influenza virus infection, 257
—, transplacental, homotransplantation antibodies, 353
Transplacental transmission, homotransplantation antibodies, 353
Transplantation immunity, cross-reactivity and transfer of antibody in, 1037
— immunity, passive transfer, transplantation antibody from extracts of sensitized lymphoid cells, 759
Trypsin hydrolysis, comparisons of Bence Jones proteins and L polypeptide chains of myeloma globulins after, 41
Tryptophan pyrrolase, role in response of mice to endotoxin, effects of bacterial endotoxins on metabolism, 587
Tubercle bacillus and histiocyte relationships, homologous and heterologous transfer of cellular resistance, 727
— bacillus and histiocyte relationships, induction of cellular resistance by ribosomes and ribosomal RNA, 371

Tubule, renal, effect of potassium deficiency on reabsorption of protein, 479

URIDYL transferase, galactose-1-phosphate, and galactokinase activity in human erythrocytes, presumed test for heterozygous carriers of galactosemic defect, 359

VASCULAR permeability enhanced by purified human C'1 esterase, complement as mediator of inflammation, 681

Vessels, circulating antigen-antibody complexes and other macromolecules in, localization, pathogenetic and pharmacodynamic studies, 503

—, circulating antigen-antibody complexes and other macromolecules in, localization, structural studies, 489

Virus, hepatotrophic, in mice thymectomized at birth, appearance of, 1069

Virus infection, influenza, period of transmissibility, 257

—, influenza, factors affecting incidence of transmitted infection, 267

— of epizootic hemorrhagic disease of deer, attenuation, by serial passage in brains of newborn mice, 421

Virus-specific soluble antigens from cells infected with type 5 adenovirus, morphologic relationship of structural subunits, 307

— soluble antigens from infected cells, antigenic relationship of virus-structural proteins to, 295

Vitamin A, effect of excess on embryonic rat esophagus in culture, 1

WATER and food intake, and body temperature, effects of bacterial endotoxin, 649